

Servicing Dudley Products

If you need spares, including items not stocked by your local merchant or that are hard to find, you can now order online via:

spares.thomasdudley.co.uk



TD Thomas Dudley Ltd.
Manufacturing in the UK since 1920

P.O. Box 28, Birmingham New Road, Dudley, West Midlands DY1 4SN
Tel: 0121 530 7000 (Sales) 0121 557 5411 Fax: 0121 557 5345
E-mail: sales@thomasdudley.co.uk www.thomasdudley.co.uk

We reserve the right to alter or modify the specification without notice E. & O.E. SICT 325626

Dudley

Bathroom Products Pocket Guide



Dudley
Water saving solutions



hygienic touch-free
electronic solutions

Founded in 1920, Thomas Dudley has established a reputation for manufacturing high quality products that are innovative and extremely reliable.

All Dudley products undergo exhaustive and rigorous testing. This means that when they are installed, durability and reliability come as standard.

For more information on our products, please refer to our Bathroom Products Catalogue or visit our website:
www.thomasdudley.co.uk

If you would like to be kept informed about new DUDLEY products please email us at info@thomasdudley.co.uk to receive our e-newsletter.



now with 6/4, 5/3 or
4/2.6 litre dualflush



now adjustable
from 7.5 - 9.5 inches



now available with
professional brass tails

Section 1 Electroflo Pages 6 to 15

Section 2 Concealed cisterns Pages 16 to 23

Section 3 Illusion range Pages 24 to 29

Section 4 Resan range Pages 30 to 33

Section 5 Exposed cisterns Pages 34 to 37

Section 6 Automatic cisterns Pages 38 to 41

Section 7 Cistern components Pages 42 to 51

Section 8 Seats Pages 52 to 59

Section 9 Spares Pages 60 to 67

DUDLEY
ProFit+ PLUS
The rewards scheme for professional installers

50 FREE Points when you sign up online
www.thomasdudley.co.uk/profit
Choose from a selection of great rewards


The rewards scheme for professional installers


Rewarding you for using Dudley bathroom products

Collect Rewards Points using a card available at your trade counter or our ProFit Plus website

Swap points for great rewards or high street vouchers

At Thomas Dudley we value the thousands of installers who buy and fit our bathroom products. That's why we've launched ProFit+ to reward you for choosing Dudley.

Everytime you purchase one of our Turbo 88 syphons, Hydroflo inlet valves, Miniflo and Vantage concealed cisterns, Illusion wall-hung sanitaryware frames or Electroflo infra-red taps, you'll find a ProFit points sticker inside.

Read scheme terms & conditions.



Hygienic, user-friendly touch-free electronic solutions for the modern bathroom.



Electroflo WC concealed cisterns

- Hygienic electronic touch free flushing controls.
- Designed for use with the Vantage and Miniflo concealed cisterns.
- Interactive infra-red sensor.
- Provides 6/4, 5/3, or 4/2.6 litre dualflush flushing through one discreet sensor.
- Compact control box measures 130mm wide X 105mm high X 25mm deep and fits onto the rear of the panel into which the sensor is installed.
- Powered by four 1.5V AA batteries (not included).
- Optional 240V mains transformer available.
- Attractive chrome plated sensor surround displaying operating instructions can be supplied for commercial use.



The interactive sensor indicates full flush, reduced flush and when the cistern is refilling


Electroflo WC Ceramic Cisterns

- Ideal for new ceramic cisterns or retrofitting into existing suites
- Hygienic electronic touch-free flushing
- Water saving dualflush through one interactive sensor




Electroflo Urinal

- Infra-red sensor flushes each urinal after use.
- Flushing time can be adjusted from 3-20 seconds.
- Sensor has range of 55cm and is adjustable.
- Hygiene flush every 24 hours.
- Delivers as little as 1 litre of water per flush.
- 35mm diameter sensor surround or choice of sensor plates.
- 9V externally mounted battery or mains powered.



Technical information	
Power supply	Sensor - 9V externally mounted battery or mains / transformer
	Plates - 9V internally mounted battery or mains / transformer
Recommended water pressure	0.3-8.0 bar
Sensor range	Factory set at 55cm and adjustable




Square plate
(please enquire for availability)




Multiflo

- Designed specifically for use with Dudley Acclaim, D, Mirage, Tri-Shell and other automatic cisterns.
- Adjustable to flush urinals at 15-60 minute intervals.
- Ceiling or wall mounted with infra-red sensor.
- Allows urinals to be flushed depending on washroom usage.



Electroflo Curve


- Vanity top/basin mounted electronic tap.
- Classic swan neck design.
- Hygienic touch-free operation.
- Proven water-saving technology.
- Delivers cold or premixed warm water.
- Manual mix option available.
- Shuts off when hand is removed from in front of sensor. Water delivery automatically stops after 90 seconds (can be adjusted).
- Robust one piece brass body.
- Heavy duty vandal-resistant design.
- Perfect use in most domestic and commercial applications.
- ½" BSP connection.
- Must be installed in conjunction with a thermostatic mixing valve for premixed water.
- Max. Temperature 70°C.



Technical information	
Power supply	9V externally mounted battery or mains / transformer
Recommended water pressure	0.5-8.0 bar 8.0 bar + with a flow restrictor
Sensor range	80mm min.-300mm max.

Electroflo Linear


- Vanity top/basin mounted electronic tap.
- Sleek minimalist design.
- Hygienic touch-free operation.
- Proven water-saving technology.
- Delivers cold or premixed warm water.
- Shuts off when hand is removed from in front of sensor. Water delivery automatically stops after 90 seconds (can be adjusted).
- Robust brass body.
- Attractive chrome finish.
- Vandal-resistant design.
- Perfect for use in most domestic and commercial applications.
- 15mm pushfit connection.
- Must be installed in conjunction with a thermostatic mixing valve for premixed water.
- Max. Temperature 70°C.



Technical information	
Power supply	9V externally mounted battery or mains / transformer
Recommended water pressure	0.3-8.0 bar 8.0 bar + with a flow restrictor
Sensor range	80mm min.-300mm max. Sensor automatically calibrates on installation

Electroflo Contemporary


- Vanity top/basin mounted electronic tap.
- Stylish tubular design.
- Hygienic touch-free operation.
- Proven water-saving technology.
- Delivers cold or premixed warm water.
- Manual mix option available.
- Shuts off when hand is removed from in front of sensor. Water delivery automatically stops after 90 seconds (can be adjusted).
- Robust brass body.
- Attractive chrome plated finish.
- Vandal-resistant design.
- Perfect for use in most domestic and commercial applications.
- ½" BSP connection.
- Must be installed in conjunction with thermostatic mixing valve for premixed water.
- Max. Temperature 70°C.



Technical information	
Power supply	9V externally mounted battery or mains / transformer
Recommended water pressure	0.5-8.0 bar 8.0 bar + with a flow restrictor
Sensor range	80mm min.-300mm max.

Electroflo Contemporary Light Touch


- Vanity top/basin mounted electronic tap.
- Stylish tubular design.
- Light touch operation provides a cost-effective alternative.
- Proven water-saving technology.
- Delivers cold or premixed warm water.
- Adjustable flow time from 1-60 seconds.
- Robust brass body.
- Attractive chrome plated finish.
- Vandal-resistant design.
- Perfect for use in most domestic and commercial applications.
- ½" BSP connection.
- Must be installed in conjunction with a thermostatic mixing valve for premixed water.
- Max. Temperature 70°C.



Technical information	
Power supply	9V externally mounted battery or mains / transformer
Recommended water pressure	0.5-8.0 bar 8.0 bar + with a flow restrictor


Electroflo Cube

- Wall mounted electronic tap.
- Contemporary angular design.
- Hygienic touch-free application.
- Delivers cold or premixed warm water.
- Shuts off when hand is removed from in front of sensor. Water delivery automatically stops after 90 seconds (can be adjusted).
- Robust one piece brass design.
- Attractive chrome plated finish.
- ½" BSP or 15mm pushfit connections.
- Must be installed in conjunction with a thermostatic mixing valve for premixed water.
- Max. Temperature 70°C.




Electroflo Style

- Wall mounted electronic tap.
- Contemporary angular design.
- Hygienic touch-free operation.
- Robust one piece brass body and vandal-resistant design.
- Attractive chrome plated finish.
- ½" BSP 15mm pushfit connections.
- Must be installed with a thermostatic mixing valve for premixed water.
- Max. Temperature 70°C.



Electroflo Horizon


- Wall mounted electronic tap.
- Minimalistic styling.
- Hygienic touch-free operation.
- Proven water-saving technology.
- Delivers cold or premixed warm water.
- Adjustable flow time.
- Robust brass body.
- Vandal-resistant design.
- ½" BSP connection.
- Must be installed in conjunction with a thermostatic mixing valve for premixed water.
- Max. Temperature 70°C.



Technical information	
Power supply	6x 1.5V AA externally mounted battery or mains / transformer
Recommended water pressure	0.5-8.0 bar 8.0 bar + with a flow restrictor
Sensor range	50mm min.-250mm max.

Electroflo Hygiene


- Wall mounted electronic tap.
- Hygienic touch-free operation.
- Proven water-saving technology.
- Design aids after use drainage to prevent water borne bacteria.
- Delivers cold and premixed warm water.
- Adjustable flow time.
- Robust one piece brass body.
- Attractive chrome plated finish.
- Vandal-resistant design.
- Perfect for use in applications where hygiene needs to be maintained.
- 15mm pushfit connection.
- Must be installed in conjunction with a thermostatic mixing valve for premixed water.
- Max. Temperature 70°C.



Technical information	
Power supply	6x 1.5V AA externally mounted battery or mains / transformer
Recommended water pressure	0.5-8.0 bar 8.0 bar + with a flow restrictor
Sensor range	50mm min.-350mm max.

Electroflo Contemporary Soap Dispenser


- Vanity top/basin mounted electronic dispenser.
- Stylish tubular design.
- Hygienic touch-free operation.
- Robust brass body and attractive chrome plated finish.
- 1/2" BSP connection.
- Can be used with soap viscosity of 100-3800 cps.
- 50mm-350mm sensor range.



Technical information	
Power supply	Mains / transformer
Recommended water pressure	Soap capacity: 1 litre Soap viscosity: 100 – 3800 cps
Sensor range	50mm min.-350mm max.

Electroflo Horizon Soap Dispenser

- Wall mounted electronic dispenser.
- Minimalistic design.
- Hygienic touch-free operation.
- Robust brass body and attractive chrome plated finish.
- 1/2" BSP connection.
- Can be used with soap viscosity of 100-3800 cps.
- 50mm-350mm sensor range.



Technical information	
Power supply	Mains / transformer
Recommended water pressure	Soap capacity: 1 litre Soap viscosity: 100 – 3800 cps
Sensor range	50mm min.-350mm max.


Thermostatic Mixing Valve

- Perfect for use with Electroflo and other pre-mixed taps.
- Meets requirements for BS7942:2000 and NHS D08.
- Can be used with pressures of 0.2-10 bar.
- 15mm and 22mm sizes.



Transformer Junction Box

- Perfect for powering up to 10 taps.
- Two and three way male to female and female to male power splitters available.



Remote Control Handset


- Allows same settings to be quickly applied to individual taps.



Time and water-saving concealed cisterns for every application.



- Designed for use with Dudley Vantage and Miniflo concealed cisterns and Illusion A & V frames.
- Chrome plated finish.
- Smooth pneumatic operation.
- Dualflush.
- Deliver 6/4, 5/3, 4/2.6 litre dualflush.
- Option of Oyster and Pebble which can be supplied in bespoke colours.
- Pearl also available in classic and palm push models.




- Installed with Vantage cistern fixed to rear of front wall.



- 232mm (w) x 152mm (h) x 13mm (d)

Push Plates

Oyster



- 232mm (w) x 152mm (h) x 16mm (d)

Pebble



- 232mm (w) x 152mm (h) x 16mm (d)

Pearl



- 125mm (w) x 82mm (h) x 8mm (d)



- 232mm (w) x 152mm (h) x 13mm (d)

Dualflush Pushbuttons

- Compatible with furniture, tiles, partitioning and walls.
- Wide range of chrome plated, mixage and white finishes.

51mm compatible with Vantage,
Miniflo, Illusion A and V.



Polished chrome plated



Dio

73mm compatible with Vantage,
Miniflo, Illusion A and V.



Chrome plated
Please enquire for other options

Single Flush Pushbuttons

- Compatible with furniture, tiles, partitioning and walls.
- Wide range of chrome plated, mixage and white finishes.
- Please enquire for other options.

46mm compatible
with Pushflo.



Petite

51mm compatible with Vantage,
Miniflo, Illusion A and V.



Royal

Single Flush Pushbuttons

73.5mm compatible with Vantage,
Miniflo, Illusion A and V.



Chrome plated

91mm compatible with Pushflo.



Dome

Metal Pushbuttons

- Ideal for use in all applications where there may be potential for vandalism or misuse.

51mm single flush compatible with
Vantage, Miniflo, Illusion A and V.



Metal Royal (vandal-resistant)

63.5mm single flush compatible
with Pushflo.



Flat Metal (vandal-resistant
and anti-ligature)

91mm single flush compatible
with Pushflo.




Dome (vandal-resistant)

Dudley Vantage

- Pneumatically operated concealed cistern that is perfect for use in bathroom furniture or other applications.
- Provides 6/4 litre dualflush flushing as standard and can be quickly and easily converted to 5/3 or 4/2.6 litre dualflush.
- Supplied factory assembled.
- Dudley Niagara flush valve and delay fill Hydroflo inlet valve as standard.
- True push-fit flushbend simplifies installation and saves time.
- Optional polystyrene insulation jacket.
- Integrated moulded overflow.
- Easy access.
- Fixing flexibility using snap-fit brackets or screwing cistern directly to the furniture or wall.
- Only one external joint.
- Wide range of buttons and push plates.
- Can be coupled with the Dudley Illusion Universal and Compact Universal and Freestanda frame systems or Dudley Sentinel brackets where wall-hung WC pans are required.



Installation		
High Level		
Low Level		●
Close-Coupled		
Flushing		
Syphon		
Valve		●
Automatic		
Capacity (litres)	6, 6/4, 5/3, 4/2.6 Dualflush	
Inlets		
Side		●
Bottom		
Overflow		
Internal		●
External		




Water Efficiency Rating			
INDEPENDENT FLUSH CISTERNS			
Cistern average flush volumes (litres)	Water Use	This Product	
3.5 or less	Very Efficient		
4.5 or less	Efficient		
5.5 or less	Good		
6 or less	Good		
Greater than 6	Good		
www.water-efficiencylabel.org.uk			

Dudley Miniflo

- Pneumatically operated by a 51mm pushbutton.
- 6/4 litre dualflush, quickly converts to 5/3 or 4/2.6 litre.
- Compact size fits neatly into 150mm deep ducts.
- Cistern body constructed from high-impact polystyrene.
- Durable glossy finish.
- Supplied factory assembled.
- Installer-friendly one piece hanging bracket.
- True push-fit flushbend.
- 390mm x 260mm, 90 degree tight radius flushbend.
- Side and bottom inlet.
- Ideal with Dudley Illusion Universal and Compact Universal and Freestanda frames or Dudley Sentinel bracket.



Installation		
High Level		
Low Level		●
Close-Coupled		
Flushing		
Syphon		
Valve		●
Automatic		
Capacity (litres)	6, 6/4, 5/3, 4/2.6 Dualflush	
Inlets		
Side		●
Bottom		Optional Extra
Overflow		
Internal		●
External		



Water Efficiency Rating			
INDEPENDENT FLUSH CISTERNS			
Cistern average flush volumes (litres)	Water Use	This Product	
3.5 or less	Very Efficient		
4.5 or less	Efficient		
5.5 or less	Good		
6 or less	Good		
Greater than 6	Good		
www.water-efficiencylabel.org.uk			

Dudley Pushflo & Royal Pushflo

Pushflo


- Compact top access concealed cistern that is ideal for use in most ducted applications.
- 6 or 7 litre single flush, side or bottom inlet.
- Chrome plated and metal pneumatic pushbuttons available.



Installation	
High Level	
Low Level	•
Close-Coupled	
Flushing	
Syphon	
Valve	•
Automatic	
Capacity (litres)	6/7
Inlets	
Side	•
Bottom	Optional Extra
Overflow	
Internal	•
External	

Royal Pushflo

- Cost-effective alternative to the Pushflo.
- 6 or 7 litre single flush, side or bottom inlet.
- Chrome plated and metal pneumatic pushbuttons available.




Dudley Mirage

- Cistern body in high-impact polystyrene.
- Concealed cistern that can be supplied with lever kits for use with walls/partitions 12-365mm thick.
- Dudley Duoflush 6/7/9 litre Dudley Duoflush syphon as standard.



Installation	
High Level	•
Low Level	•
Close-Coupled	
Flushing	
Syphon	•
Valve	
Automatic	
Capacity (litres)	6/7/9 Duoflush
Inlets	
Side	•
Bottom	Optional Extra
Overflow	
Internal	•
External	•




Dudley Phantom

- Cistern body in high-impact polystyrene.
- Concealed cistern that can be supplied with lever kits use with walls/partitions 12-365mm thick.
- Dudley Duoflush syphon as standard.




Installation	
High Level	
Low Level	•
Close-Coupled	
Flushing	
Syphon	•
Valve	
Automatic	
Capacity (litres)	6/7 Duoflush
Inlets	
Side	•
Bottom	Optional Extra
Overflow	
Internal	•
External	



Revolutionary range of in-wall frames and supports for wall-hung sanitaryware.




- Strong in-wall support system for wall-hung WC pans.
- Unique design enables frame height flexibility from 820mm - 1120mm.
- Legs adjust to offer WC pan height fixing flexibility.
- Wall and floor brackets can be fixed through 180° and 360° to simplify installation.
- Strong steel tubular section construction.
- Complies with 400Kg load test based on EN 997.
- Integral factory fitted Dudley Vantage.
- Delay fill Hydroflo inlet valve.
- Dual and single flush options available.



Frame height adjusts from 820 - 1120mm.
Feet also adjust to allow for screeds up to 150mm thick.


Dudley Illusion 'V'

- Strong in-wall support system for wall-hung WC pans.
- Robustly constructed from steel tubular section.
- Complies with 400Kg test based on EN 997.
- Supplied with an integral Dudley Vantage concealed cistern for 6/4, 5/3, 4/2.6 litre dualflush or 6 litre single flush flushing.
- Unique wall and floor brackets enable the Illusion V to be fixed against flat walls, into corners, into bathroom furniture, behind partitions and other ducted applications.
- Cistern comes pre-fitted onto the frame and factory assembled with its internal components already fitted in position.
- Can be supplied with a wide range of pneumatic buttons and push plates.
- WC pan fixing bolt centres: 180mm or 230mm.




Dudley Illusion Universal

- Strong in-wall support system for wall-hung WC pans.
- Robustly constructed from steel tubular section.
- Complies with 400Kg load test based on EN 997.
- Unique wall and floor fixing brackets enable the frame to be installed against flat walls, into corners and fitted bathroom furniture, can be fixed through 180° and 360°.
- Legs can be quickly and easily adjusted to provide WC pan height fixing flexibility.
- Can be used in conjunction with any lever, pushbutton or electronically operated Dudley concealed cistern.




Dudley Illusion Compact Universal

- Strong in-wall support system for wall-hung WC pans.
- Robustly constructed from steel tubular section.
- Complies with 400Kg load test based on EN 997.
- 345mm width making it ideal for bathroom furniture and other confined spaces.
- Unique wall and floor fixing brackets can be fixed through 180° and 360°.
- Legs can be quickly and easily adjusted to provide WC pan height fixing flexibility.



Dudley Illusion Freestanda

- Strong in-wall support system for wall-hung WC pans.
- Robustly constructed from steel tubular section.
- Complies with 400Kg load test based on EN 997.
- Perfect for use where no solid rear wall fixing is available.
- Can be installed against flat walls or partitions, into fitted bathroom furniture and most other ducted applications.
- Legs can be quickly and easily adjusted to provide WC pan height fixing flexibility.
- Can be used in conjunction with any lever, pushbutton or electronically operated Dudley concealed cistern.




Dudley Illusion Basin

- Strong in-wall support system for wall-hung basins.
- Robustly constructed from steel tubular section.
- Complies with 400Kg load test based on EN 997.
- Unique wall and floor fixing brackets can be fixed through 180° and 360°.
- Legs can be quickly and easily adjusted to provide basin height fixing flexibility.



Dudley Illusion Bidet

- Strong in-wall support system for wall-hung bidets.
- Robustly constructed from steel tubular section.
- Complies with 400Kg load test based on EN 997.
- Unique wall and floor fixing brackets can be fixed through 180° and 360°.
- Legs can be quickly and easily adjusted to provide basin height fixing flexibility.



Dudley Sentinel


- Strong cast iron brackets for wall-hung WC pans.
- Vertical slot provides pan fixing flexibility.
- Can be supplied with floor and WC pan fixing bolts.



Resan Pan





- Vandal-resistant and anti-ligature.
- Back to wall design for use with concealed cisterns that can be safely hidden out of reach.
- Integral moulded seat removes threat of damage or unwanted removal.
- Easy clean matt, gloss and gel coat gloss finishes.
- Thomas Dudley's unrivalled expertise can be called upon to configure water efficient WC pan and concealed cistern combinations.
- Please enquire for other WC pans in the range.



Resan Basin

- Vandal-resistant and anti-ligature.
- Back to wall design allows all pipework to be safely concealed.
- Can be installed in conjunction with water-saving electronic taps that support BREEAM and other initiatives.
- Easy clean matt, gloss and gel coat gloss finishes.
- Please enquire for other basins in the range.



Resan Urinal

- Vandal-resistant and anti-ligature.
- Back to wall design allows all pipework to be safely concealed.
- Easy clean matt, gloss and gel coat gloss finishes.
- Can be teamed with water saving electronic controls and supports BREEAM and other initiatives.



Resan Shelf & Mirror


- Vandal-resistant and anti-ligature.
- Easy clean matt, gloss and gel coat gloss finishes.
- Mirror frame also available in a range of sizes, please enquire.



Versatile and reliable exposed cisterns with both classic and contemporary styling.




- Cistern body in high-impact polystyrene.
- Side inlet, bottom connections available.
- External/internal warning pipe.
- Internal parts comply with regulator's specification.
- 356 x 229mm flushbend.
- Comes in white.
- Can be supplied with water-saving Dudley Turbo 88 Dualflush syphon.



Installation	
High Level	•
Low Level	•
Close-Coupled	
Flushing	
Syphon	•
Valve	
Automatic	
Capacity (litres)	6/7/9 Convertible
Inlets	
Side	•
Bottom	Optional Extra
Overflow	
Internal	•
External	•


- Cistern body in high-impact polystyrene.
- Suitable for high and low close coupled installation.
- Contemporary styling.
- Side inlet, bottom connections available.
- 256 x 229mm flushbend.
- Comes in black, white and a range of colours.
- Can be supplied with water-saving Dudley Turbo 88 and Duoflush syphon.



Installation	
High Level	•
Low Level	•
Close-Coupled	•
Flushing	
Syphon	•
Valve	
Automatic	
Capacity (litres)	6/7/9 Convertible
Inlets	
Side	•
Bottom	Optional Extra
Overflow	
Internal	•
External	•

Dudley Elite


- Cistern body in high-impact polystyrene.
- Suitable for low level and close coupled installations.
- 6/7/9 litre convertible syphon.
- External/internal overflow warning pipe.
- 356 x 229mm flushbend.
- Side connections, bottom connections available.
- White and a range of colours.
- Can be supplied with water-saving Dudley Turbo 88 Duoflush syphon.



Installation	
High Level	•
Low Level	•
Close-Coupled	•
Flushing	
Syphon	•
Valve	•
Automatic	•
Capacity (litres)	6/7/9 Convertible
Inlets	
Side	•
Bottom	Optional Extra
Overflow	
Internal	•
External	•

Dudley Slimline


- Cistern body in high-impact polystyrene.
- Suitable for high, low and close-coupled installations.
- 6/7/9 litre convertible syphon.
- External/internal overflow warning pipe.
- 356 x 229mm flushbend.
- Side connections, bottom connections available.
- Black, white and a range of colours.
- Can be supplied with water-saving Dudley Turbo 88 Duoflush syphon.



Installation	
High Level	•
Low Level	•
Close-Coupled	•
Flushing	
Syphon	•
Valve	•
Automatic	•
Capacity (litres)	6/7/9 Convertible
Inlets	
Side	•
Bottom	Optional Extra
Overflow	
Internal	•
External	•


Dudley Tri-Shell

- Sandwich foam moulded body.
- Frost and vandal-resistant.
- Strong metal lever (and chain pull for high level models).
- Lid firmly secured by metal screws.
- Dudley Duoflush 6/7/9 litre convertible Dudley Turbo 88 Duoflush 2-part syphon.
- Internal/external overflow warning pipe.
- Cistern colours: Black, white.
- Also available as Tri-Shell Jetseal.



Installation	
High Level	•
Low Level	•
Close-Coupled	•
Flushing	
Syphon	•
Valve	•
Automatic	•
Capacity (litres)	6/7/9 Convertible
Inlets	
Side	•
Bottom	Optional Extra
Overflow	
Internal	•
External	•

- Sandwich foam moulded body.
- Frost and vandal-resistant.
- Strong metal lever and chain pull.
- Lid firmly secured by metal screws.
- Dudley Turbo S11-11 2-part syphon.
- Internal/external overflow warning pipe.
- Cistern colours: Black, white.




Installation	
High Level	•
Low Level	•
Close-Coupled	•
Flushing	
Syphon	•
Valve	•
Automatic	•
Capacity (litres)	6/7/9 Convertible
Inlets	
Side	•
Bottom	Optional Extra
Overflow	
Internal	•
External	•

Exposed and concealed automatic cisterns for reliable urinal flushing.




- Cistern body in high-impact polystyrene.
- Suitable for high level installations.
- 4.5, 9 or 13.5 litre.
- Cistern colours: Black, white.



Installation	
High Level	•
Low Level	
Close-Coupled	
Flushing	
Syphon	
Valve	
Automatic	•
Capacity (litres)	4.5, 9 or 13.5

Dudley Tri-Shell Auto

- Sandwich foam moulding makes cistern exceptionally strong and provides insulation.
- Durable high-gloss finish.
- Suitable for high level installations.
- 4.5, 9 or 13.5 litre.
- Lid firmly secured by screws.
- Frost and vandal-resistant.




Installation	
High Level	•
Low Level	
Close-Coupled	
Flushing	
Syphon	
Valve	
Automatic	•
Capacity (litres)	4.5, 9 or 13.5

Dudley Acclaim Auto

- Cistern body in high-impact polystyrene.
- Suitable for high level installations.
- 4.5 or 9 litre.
- Cistern colours: White.



Installation	
High Level	•
Low Level	
Close-Coupled	
Flushing	
Siphon	
Valve	
Automatic	•
Capacity (litres)	4.5, 9




Dudley Mirage Auto

- Cistern body in high-impact polystyrene.
- Suitable for high level concealed installations.
- 4.5, 9 or 13.5 litre.
- Can be fitted to front or back ducted walls.




Installation	
High Level	•
Low Level	
Close-Coupled	
Flushing	
Siphon	
Valve	
Automatic	•
Capacity (litres)	4.5, 9 or 13.5




Dudley Multiflo

- Designed specifically for use with Dudley Acclaim, D, Mirage, Tri-Shell and other automatic cisterns.
- Adjustable to flush urinals at 15-60 minute intervals.
- Ceiling or wall mounted with integral infra-red sensor.
- Allows urinals to be flushed depending on washroom usage rate.
- Supports BREEAM.



Electroflo Urinal

- Infra-red sensor flushes each urinal after use.
- Flushing time can be adjusted from 3-20 seconds.
- Sensor has a range of 55cm and is adjustable.
- Hygiene flush every 24 hours.
- Supports BREEAM.



Technical information	
Power supply	Sensor – 9V externally mounted battery or mains/transformer Plates – 9V internally mounted battery or mains/transformer
Recommended water pressure	0.3–8.0 bar
Sensor range	Factory set at 55cm and adjustable

Innovative market-leading syphons, flush valves and inlet valves for simple installation and servicing.



Dudley Turbo 88 Syphon

- Now adjusts from 7½ - 9 ½".
- Unique design for servicing in under 5 minutes.
- 6/7/9 litre convertible
- Water-saving full and reduced flushing capabilities in low level installations.
- For full flush – depress lever and release.
- For reduced flush – depress lever and hold down.
- Dudley spare parts readily available.
- WRAS approved Water Technology List registered.



Water Technology List:

Businesses can write off 100% of investment in the Turbo 88 against tax in the year of investment.

QUALIFIED BUSINESS
AUTHORISED USER NO. 10222



WRAS
APPROVED
PRODUCT




- Adjustable version extends from 191mm (7½") to 241mm (9½") to fit most lever operated cisterns. Fixed sized models from 178mm (7") to 254mm (10").

Full flush: depress lever and release



Reduced flush: depress lever and hold




Visit us at www.thomasdudley.co.uk

Dudley Turbo S44R Syphon

- 6/7/9 litre convertible.
- Unique 2-part design for simple servicing.
- Designed for close-coupled, low and high level WC cisterns.
- 267mm (10½") - 292mm (11½") sizes in half inch increments.
- Other sizes available – please enquire.
- 38mm (1½") outlet.
- WRAS approved product.
- Dudley spare parts readily available.



Sizes (mm)	Sizes (inches)
267	10½
279	11
292	11½




WRAS
APPROVED
PRODUCT

Dudley Turbo S1-11 Syphon

- 7/9 litre convertible.
- 38mm (1½") diameter outlet.
- Dudley spares packs readily available.
- WRAS approved product.



Sizes (mm)	Sizes (inches)
229	9



WRAS
APPROVED
PRODUCT

Dudley S7 Cascade Syphon

- 6/7/9 litre convertible.
- 38mm (1½") outlet.
- WRAS approved.



WRAS
APPROVED
PRODUCT

Sizes (mm)	Sizes (inches)
191	7½
203	8
216	8½
229	9
241	9½

Dudley S9 Hi-Flo Syphon

- 6/7/9 litre convertible.
- 38mm (1½") outlet.
- WRAS approved.



Sizes (mm)	Sizes (inches)
229	9

WRAS
APPROVED
PRODUCT

Dudley Japtic Syphon

- 6/7/9 Litre convertible.
- 38mm (1½") outlet or
- 32mm (1¼") outlet.



Sizes (mm)	Sizes (inches)
229	9

Dudley S90 Hydro Syphon

- 6/7/9 Litre convertible.
- 38mm (1½") outlet.
- WRAS approved.



Sizes (mm)	Sizes (inches)
229	9

Dudley Niagara Dualflush Valve

- Manually operated.
- Water-saving full and reduced flushing.
- Complies with Regulator's Specification.
- Designed for close-coupled or low level WC cisterns between 330-408mm high (internal).
- 51mm (2") outlet with optional 38mm (1½") adaptor.
- WRAS approved product.

Water Technology List:




Businesses can write off 100% of investment in the Niagara against tax in the year of investment.



Chrome plated pushbutton




Fits into most ceramic and plastic cisterns with internal heights of 330-408mm

Serviced in under 5 minutes




Dudley Hydroflo Side Inlet Valve

- Quiet equilibrium float valves.
- Comply with BS1212 Part 4.
- WRAS approved.
- Ideal for low and high pressure.
- Pressure tested from 0.1 - 20 bar.
- Unique filter removal key.
- Two backflow prevention devices.
- Designed and made in the UK.



- Side inlet delay fill & brass tail
- Side inlet standard & brass tail



WRAS
APPROVED
PRODUCT


Side Inlet

Type	Code
Standard	313079
Delay fill	324300
Brass tail	324299
Delay fill with brass tail	324298


Dudley Hydroflo Telescopic Bottom Inlet Valve

- Compact body, float arm and float.
- Silence tube for quiet after flush.
- Unique float arm makes it impossible for float to become detached.

WRAS
APPROVED
PRODUCT



- Bottom inlet standard, delay fill & brass tail




Telescopic Bottom Inlet (Extends from 8 - 11½")

Type	Code
Standard	320714
Delay fill	324303
Brass tail	324302
Delay fill with brass tail	324301

Standard and delay fill available in fixed bottom inlet – please enquire.

Dudley Beta Float Valve


- Comply with BS1212 Part 3.
- WRAS approved.
- Ideal for low and high pressure.
- Pressure tested from 0.1 - 14 bar.
- Proven, reliable solution.
- Swivel float arm.
- Can also be supplied with forked float arm – please enquire.
- Designed and made in the UK.
- Spares readily available.



- Swivel float arm allows float to be set in a wide range of positions



- Simple water level adjustment



Dudley Rigiflex WC Pan Connector

- Extendable, strong and flexible WC pan: 110mm diameter soil pipe connector.
- Complies with BS5627 water leak criteria.
- Extremely useful for awkward installations.
- Angles easily adjusted.
- Extends from 230mm - 570mm.
- Installer friendly.




Fits standard
diameter 110mm
soil pipes



Easy to clean, durable plastic toilet seats for every bathroom or washroom.



- Soft closing action.
- Anti-bacterial.
- Heavy-duty 2.3Kg seat.
- Available in glossy white.
- Rubber seat and cover buffers.
- Easy-clean surface.
- Stainless steel hinges.




Dudley Arianne

- Heavy-duty 2.3Kg seat.
- Available in glossy white.
- Rubber seat and cover buffers.
- Easy-clean surface.
- Adjustable stainless steel hinges.
- Top fix hinges available as an optional extra.




Dudley Boudicea

- Heavy-duty 2.1Kg seat.
- Available in glossy white.
- Rubber seat and cover buffers.
- Easy-clean surface.
- Adjustable stainless steel hinges.
- Top fix hinges available as an optional extra.




Dudley Eve

- Medium-duty 1.55Kg seat.
- Available in glossy white.
- Rubber seat and cover buffers.
- Easy-clean surface.
- Adjustable stainless steel hinges.
- Top fix hinges available as an optional extra.



Dudley Francesca

- Heavy-duty 2.5Kg seat.
- Available in glossy white.
- Rubber seat and cover buffers.
- Easy-clean surface.
- Adjustable stainless steel hinges.
- Top fix hinges available as an optional extra.



Dudley Nadia

- Heavy-duty 2.2Kg seat.
- Wrap-over style cover.
- Available in glossy white.
- Rubber seat and cover buffers.
- Easy-clean surface.
- Adjustable stainless steel hinges.
- Top fix hinges available as an optional extra.




Dudley Tamara

- Heavy-duty 2.3Kg seat.
- Available in glossy white.
- Rubber seat and cover buffers.
- Easy-clean surface.
- Adjustable stainless steel hinges.
- Top fix hinges available as an optional extra.




Dudley Rhianna

- Soft closing action available as an optional extra.
- Heavy-duty 2.0Kg seat.
- Available in glossy white.
- Rubber seat and buffer covers.
- Easy-clean surface.
- Stainless steel lift-off hinges.
- Anti-bacterial available as an optional extra.
- Top fix hinges available as an optional extra.



Dudley Esme

- Soft closing action.
- Heavy-duty 2.0Kg seat.
- Available in glossy white.
- Rubber seat and buffer covers.
- Easy-clean surface.
- Stainless steel lift-off hinges.
- Anti-bacterial available as an optional extra.
- Top fix hinges available as an optional extra.




Dudley Amelia

- Medium-duty 1.2Kg seat.
- Wrap-over style cover.
- Available in glossy white and black.
- Rubber seat and cover buffers.
- Easy-clean surface.
- Adjustable plastic hinges.




Dudley Danielle

- Medium-duty 1.65Kg seat.
- Available in glossy white and black.
- Rubber seat and cover buffers.
- Easy-clean surface.
- Adjustable plastic hinges.























Dudley Bianco

- Soft closing action.
- Medium-duty 1.5Kg seat.
- Available in glossy white.
- Rubber seat and buffer covers.
- Easy-clean surface.
- Adjustable plastic hinges.































Dudley Replacement Hinges

Dudley Toilet Seat	Replacement Hinges (Supplied in Pairs)	Code
Celine	Soft Close Stainless Steel	320914
Arianne	Stainless Steel	320911
Boudicea	Stainless Steel	320911
Eve	Stainless Steel	320911
Francesca	Stainless Steel	320912
Nadia	Stainless Steel	320911
Tamara	Stainless Steel	320911
Amelia	Plastic	320910
Danielle	Plastic	320910
Arianne, Boudicea, Eve, Francesca, Nadia, Tamara	Top Fix Stainless Steel	320913

DUDLEY ACCLAIM & DIPLOMAT CISTERN		DUDLEY SLIMLINE PLASTIC CISTERN	
Code	Option	Code	Option
	— S7 6/7/9 litre convertible syphon		— S7 216mm (8½") 6/7/9 litre convertible syphon
	316549 319042 CP front lever assembly (state cistern) Acclaim Diplomat		316549 CP front lever assembly, 85mm spindle
	318166 Red plastic lift-arm (state cistern)		318166 Red plastic lift-arm, 64mm (2½") C/S
	313942 Green plastic lift-arm (state cistern)		313942 Green plastic lift-arm, 64mm (2½") C/S
	318806 315643 H/L plastic side lever (needs fulcrum bracket and screw – see below) New Old		316218 Lid screw (1 needed)
	313126 Fulcrum bracket & screw		
DUDLEY ELITE CISTERN			
Code	Option	Code	Option
	— S7 216mm (8½") 6/7/9 litre convertible syphon (lever action)		318671 PK pin, washer and cotter pin
	314642 S88 216mm (8½") 7/9 litre convertible syphon and linkage assembly (push action)		316549 CP front lever assembly, 85mm spindle
	318166 Red plastic lift-arm, 64mm (2½") C/S		313942 Green plastic lift-arm, 64mm (2½") C/S
	313604 CP push knob		316218 Lid screw for front lever Elite (1 needed)
	318741 318851 P2/P3 lever linkage: 170mm 125mm		

























DUDLEY TRI-SHELL CISTERN		DUDLEY TRI-WELL CISTERN	
Code	Option	Code	Option
	— S7 191mm (7½") 6/7/9 litre convertible syphon	—	Syphon – See S1-11 page 44
	317814 CP metal front lever assembly, 95mm spindle		315716 Spares Pack (including diaphragm, 'O' ring and piston washer)
	318166 Red plastic lift-arm, 64mm (2½") C/S		314837 Plastic Backnut (1½")
	313942 Green plastic lift-arm, 64mm (2½") C/S		316571 Plastic Capnut (1½")
	314614 H/L metal side lever (needs fulcrum bracket and screw – see below)		320963 Lever
	313126 Fulcrum bracket & screw		313126 Fulcrum bracket & screw
	313377 Lid screw (2 needed)		313377 Lid screw (2 needed)
DAUNTLESS RUBBERLINE / RUBBER WELL CISTERN			
Code	Option	Code	Option
	317449 S1-11 229mm (9") 7/9 litre convertible syphon: with brass outlet and nuts (Rubberline)		317234 Brass Backnut
	318743 S1-11 229mm (9") 7/9 litre convertible syphon: with plastic outlet and nuts (Rubber Well)		316382 Brass Capnut
	315716 Spares Pack (including diaphragm, 'O' ring and piston washers)		313973 Galvanised cast iron lever, 243mm C/S
			316171 Fulcrum bracket & screw
			— Lid screw (1 needed)

















DUDLEY MIRAGE & PHANTOM CONCEALED CISTERNS		DUDLEY MINIFLO CONCEALED CISTERN	
Code	Option	Code	Option
 316267	S7 216mm (8½") 6/7/9 litre convertible syphon (lever action)	 322905	CP pneumatic button (dualflush) 51mm dia.
 318166	Red plastic lift-arm (state cistern)	 322906	CP/Matt pneumatic button (dualflush) 51mm dia.
 313942	Green plastic lift-arm (state cistern)	 313621	CP Royal pneumatic button (single flush) 51mm dia. Also for use with Vantage cisterns
 314614	H/L metal side lever for H/L Mirage (needs fulcrum bracket and screw – see below)	 323672	Niagara pneumatic 6L single flush valve
 313126	Fulcrum bracket & screw	 323445	Niagara pneumatic 6/4, 5/3, 4/2.6L dualflush valve
 317093 314063 317093 317093	Lid screw (1 needed): Mirage/T88 syphon Mirage/S7 syphon Phantom/T88 syphon Phantom/S7 syphon	 323923	One piece cistern hanging bracket
		 324371	Flushing volume baffles (2 supplied)
		 322326	Flushbend 390 x 290mm (tapered 2" - 1½")
FRONT LEVER ASSEMBLIES WITH LIFT ARM			
Code	Option	Code	Option
 315881	CP plastic, 120mm spindle	 319732	CP Kit 'W', 225mm spindle, 160mm bush*
 317814 313794	CP metal: 95mm spindle 120mm spindle	 313964	CP Kit 'A', 325mm spindle, 260mm bush
 316786 316827 318659 316437 317072	CP Windsor: 80mm spindle 95mm spindle 110mm spindle 120mm spindle 140mm spindle	 313149	CP Kit 'B', 430mm spindle, 368mm bush
 318767	CP Kit 'P', 155mm spindle,	 316181 318090 315616 313160	Extra for 'front fit' lever, Allen screw and keys: Kit 'P' Kit 'W' Kit 'A' Kit 'B'

DUDLEY VANTAGE CONCEALED CISTERN			
Code	Option	Code	Option
 313085 314600 315921 318431	CP Round or Square button 73.5mm dia: Single flush – Round Single flush – Square Dualflush – Round Dualflush – Square	 319678	Capnut (2" BSP/51mm I.D.)
		 315604	Backnut (2" BSP/51mm I.D.)
 316608 317981 318547 —	Gold Round or Square pneumatic button 73.5mm dia: Single flush – Round Single flush – Square Dualflush – Round Dualflush – Round	 318289	Outlet seal 38mm I.D.
		 323306	Outlet seal 38mm I.D. (stepped)
 322408	CP Dio pneumatic button (dualflush) 51mm dia.	 317704 325087	Braided hose and isolating valve V1 V2
 325277 325276	CP Piazza Square button 73.5mm Single flush Dualflush	 314306	Niagara pneumatic 6L single flush valve
 323579	Access cover – front	 316723	Niagara pneumatic 6/4, 5/3, 4/2.6L dualflush valve
 313748	Access cover – top	 313096 325570	Snap-fit cistern fixing brackets V1 V2
 317532	Push-fit inlet elbow		
 314962	Cone ring (50mm I.D.)	 322326	390 x 290mm flushbend (tapered 2" - 1½")

NEW DUDLEY UNIVERSAL CISTERN SERVICING KIT








Code	Option (cistern not included)
—	Includes a Dudley Turbo 88 adjustable syphon, Dudley Hydroflo telescopic inlet valve, close-coupling fixing bolts, sealing washer and mazak front lever.
—	Includes a Dudley Niagara dualflush valve and dualflush pneumatic button.
—	Includes a Dudley Niagara single flush valve and single flush pneumatic button.

DUDLEY PUSHFLO and ROYAL PUSHFLO CONCEALED CISTERNS		CP DIMPLE LEVER ASSEMBLIES FOR EASY FLUSHING BY THE LESS ABLE	
Code	Option	Code	Option
	316562 CP Dome button for Pushflo cistern (single flush) 91mm dia.		315568 120mm spindle with 'CAMEL' adjustable lift-arm
	316269 CP Cone button for Pushflo cistern (single flush) 50mm dia.		317591 Kit 'W' version with 225mm spindle, 160mm bush
	320185 CP Petite button for Pushflo cistern (single flush) 46mm dia.		318252 Kit 'A' version with 325mm spindle, 260mm bush
	313621 CP Royal pneumatic button for Royal Pushflo cistern (single flush) 51mm dia.		318138 Kit 'B' version with 430mm spindle, 368mm bush
BUTTON & FLUSH VALVE SPARES			
Code	Option	Code	Option
	314962 Cone ring (50mm I.D.)		319473 VR (Vandal Resistant) flat metal button for Pushflo cistern – fits up to 38mm partition (single flush) 63.5mm dia.
	319678 Capnut (2" BSP/51mm I.D.)		315521 Metal Dome button for Pushflo cistern (single flush) 63.5mm dia.
	315604 Backnut (2" BSP/51mm I.D.)		321685 Metal Royal button for Royal Pushflo and Vantage cistern (single flush) 51mm dia.
	318948 Outlet washer black (2" BSP/51mm I.D.)		319059 Pneumatic tube: Clear
	315297 Sealing washer grey (2" BSP/51mm I.D.)		318634 Green
	314306 Niagara pneumatic 6L single flush valve for Royal Pushflo cistern		313838 Corrugated tube
	316723 Niagara pneumatic 6/4, 5/3, 4/2.6L dualflush for Vantage, Miniflo, Illusion 'V' and 'A'		321958 Black pan connector
	316129 Pinto pneumatic 6L single flush valve for Pushflo cistern		319896 Dualflush button for cable operated valve











SYPHON ACCESSORIES	
Code	Option
	313313 Dudley 'SYVAC' symphonic aspirator (for S7 and T88 only)
	Please enquire Plastic piston complete with polythene diaphragm
	314837 Plastic backnut 38mm
	316571 Plastic capnut 38mm
	318134 SS 'C' link up to 76mm (3")
	318729 SS 'C' link: 3 1/4"
	317307 3 1/2"
	317898 3 3/8"
	317143 SS 'C' link: 4"
	322946 4 1/4"
	318323 4 1/2"
	317537 5 1/2"
	Please enquire Polythene syphon diaphragm
	Please enquire Plastic automatic syphon
	319228 Turbo 88 spares pack (inc. diaphragm, 'O' ring and piston washers)
	318665 Turbo 44 spares pack (inc. diaphragm, 'O' ring and piston washers)

DUDLEY NIAGARA FLUSH VALVE SPARES	
Code	Option
Niagara mechanical:	
	318082 38mm (1 1/2") outlet adaptor
	314318 CP pushbutton assembly pack
	SEE CP PACK ABOVE 313168 Gold effect pushbutton assembly pack
	315900 Push rods
	314574 Outlet seal 38mm (I.D.)
Niagara pneumatic:	
	— Bellows
Mechanical and pneumatic:	
	318289 Outlet washer (2" BSP/51mm I.D.)
	315604 Backnut (2" BSP/51mm I.D.)
	319678 Capnut (2" BSP/51mm I.D.)

BALLVALVES & GENERAL PARTS

Code	Option	Code	Option
 317152 316574	32mm (1¼") dia. shaped rubber diaphragm Torbeck Beta	 316308	19mm (¾") plastic pedestal overflow 215mm
 Please enquire	Torbeck equilibrium quiet-filling ballvalve SISO or BIBO	 314065	Plated chain and plastic pull
 318410	13mm (½") plastic petcock for automatics	 315841 315432	Tapered cone ring for flushbend 38mm Low Level 32mm High Level
 317820	114mm (4½") round "Qualifloat" plastic float	 317165 316340	"CAMEL" adjustable lift-arm: Natural Blue
 317501	114mm (4½") elongated plastic float	 319249	Overflow stopper 19mm
 316828	19mm (¾") plastic overflow		




HYDROFLO INLET FLOAT VALVE

Code	Option	PVC FLUSHBENDS & FLUSHPIPPES	Code	Option
 317158	Filter and 'O' Ring	319415	356 x 229 x 38mm (14" x 9" x 1½") O.D.	– White
 313299	Filter Key	Please enquire	356 x 229 x 38mm (14" x 9" x 1½") O.D.	– Colour
 317673	Rubber washer (37.5 O.D.)	322326	390 x 290mm Tapered 51-41mm	– White
 317733	Float	323782	457 x 457mm Tapered 51-41mm	– White
 318949	Float arm and pressure chamber cover	317684	610 x 457 x 38mm (24" x 18" x 1½") O.D.	– White
 319626	Silence tube		1678 x 32mm (5' 6" x 1¼") bore 2-piece backwall: 38mm (1½") collar 44mm (1¾") collar	– White – White
 318756	Flow restrictor	316561 314661		
 319726	Diaphragm		1678 x 32mm (5' 6" x 1¼") bore 3-piece sidewall: 38mm (1½") collar 44mm (1¾") collar	– White – White
 316295	Backnut (½" BSP)	314758 315587		
 316999	Overhead discharge nozzle assembly (Divertor including silence tube)	318054	Flow restrictor for high level flushpipe	

Dudley Bathroom Castings

To complement our bathroom products, Thomas Dudley Ltd manufactures a comprehensive range of high quality castings. This range comprises over 2,000 products including towel rail brackets, sink brackets (and legs), basin brackets (and legs), basin hanger brackets, decorative brackets and many other products.

Please ask your plumbers merchant for details.



Other Thomas Dudley Group companies

Masefield-Beta Limited supplies a vast range of plumbing spares, accessories and brassware. Products include BBS Autospheons, Holdtite Products, quality component ball valves, stopcocks, radiator valves and drain rods.

www.masefield-beta.co.uk



Waterfit Limited is a leading manufacturer of high quality gunmetal and plastic fittings for the water industry. The Waterfit brand encompasses meter box chambers, meter and stopcock carriers, ferrules and ferrule straps, saddle straps and associated products.

www.waterfit.co.uk



McDonald Diecasting Limited specialises in zinc diecasting. Suitable for plating finishes, these components are used extensively within the bathroom, automotive, window, engineering and furniture industries.

www.mcdonald-diecasting.co.uk